

Getting to know your

# Q5 | SQ5

Quick Questions & Answers



Audi  
Truth in Engineering




The information within this guide must be used in conjunction with the information in the Audi Owner's Manuals. Refer to your vehicle's Owner's Manual for all information and warnings. By using this guide, you acknowledge that you are aware of and have read the warnings and information provided in the Owner's Manual on the topics in this guide and will use this information to augment that material.

**Audi Brand Specialist**  
(Business Card Placeholder)

To learn more about your features,  
call your Audi Technologist.

**1.855.750.TECH (8324)**

 [auditechnology.com](http://auditechnology.com)

## Welcome

Your new Q5 is equipped with many features designed to accentuate your driving experience and create an environment that is refined, elegant and supremely functional. This guide will assist you in better understanding some of the features of your Q5 and provide you with the knowledge needed to enjoy your new Audi to its fullest.

LEARN MORE AT  
[auditechnology.com](http://auditechnology.com)

## Audi Explore



When you see this symbol, you can discover more with your smart phone by texting the letter keys to the code provided. A video tutorial will be sent to further explain the topic.

Standard messaging and data rates charged by your phone service provider will apply.

## Table of Contents

MMI® Controls	1
BLUETOOTH® Pairing	7
Audi connect®	15
Navigation	19
Automatic Climate Control	23
Memory Seats	27
Windshield Wipers	29
Cruise Control	31
Start-Stop System	33
Sunroof	35
Clock Setting	37
Rear Hatch	39

# MMI® Controls

## Audio & Navigation



TEXT Q5AUDIO to 38981  
Do not text and drive. Message and data rates may apply.

The MMI® system consists of the MMI® display screen and the MMI® control panel. This panel is composed of a control knob with joystick, control buttons and function buttons.

Pressing one of the six function buttons such as **RADIO** or **NAV** displays that features options in each corner of the MMI® screen.

The four control buttons surrounding the control knob correspond to the four corners of the MMI® display. Selecting the desired button will access sub menus.

While operating the menus and functions, you can return to a previous screen by pressing the **BACK** button.

To make a selection or confirm a request, simply turn the control knob and press the center of the joystick to select. To move to a specific location within the Navigation Map or control the main menu of a DVD, move the joystick located on top of the control knob.



# MMI® Controls

cont.



TEXT Q5AMI to 38981

Do not text and drive. Message and data rates may apply.

## Volume/Track Advance Button

Tipping the knob right or left allows you to move through audio tracks and radio stations. Pressing will mute audio when in Radio mode and pause when playing media. Holding the button down will turn the system off.

## Media Function Button

- ▶ Access available media from connected sources
  - ▶ BLUETOOTH® Audio, SD card, DVD, Jukebox, and Audi Media Interface (AMI).
  - ▶ The iPod AMI cable comes standard with MMI® Navigation plus.
  - ▶ The AMI connection can be found in your glove box.



NOTE: iPod® AMI cable is standard on Audi Vehicles with concert radio and convenience package.


## Steering Wheel Controls


In addition to the MMI® control panel, you can use the multifunction steering wheel controls to display specific MMI® features in the Driver Information System.

Simply press the **MODE** button until you reach your desired function, including Radio functions.



The thumbwheel can be used to scroll through the options. Press it to make a selection. Steering wheel controls allow you to select Phone functions.

The  button is used to activate Voice Recognition. The volume thumbwheel is used to adjust the volume, pressing it will mute audio or pause media.

Pressing the  button\* will repeat the last Navigation announcement when navigation is active.

\* Available with optional MMI® navigation only.

# MMI® Controls

cont.




TEXT Q5SOUND to 38981  
Do not text and drive. Message and data rates may apply.



## Setting Station Presets


You can set any mix of up to 50 Presets from FM, AM or Sirius options.



1. Press the **RADIO** function button multiple times to toggle between FM, AM or SIRIUS.



2. Tune to the desired station using the control knob and pressing to select.



3. Press and hold the center control knob until the Presets screen shows the Preset list.




4. Scroll to the numbered list position where you want to save your selection.



5. Press the center control knob again; the station is saved to this position.

### To access your Presets:

- ▶ Press the **RADIO** function button then the Presets control button.
- ▶ Use the MMI® control knob to scroll through your Presets.
- ▶ Press the center button of the control knob to select a Preset.
- ▶ Using Voice Recognition, press , after the beep, say "Presets".

NOTE: Occasionally, tall buildings and tunnels may interrupt the satellite signal. For more information, please refer to the SiriusXM® brochure in your glove box.

# BLUETOOTH® Pairing: MMI®

## Initial Setup

BLUETOOTH® pairing is a one-time procedure. Once paired via BLUETOOTH®, your phone will automatically connect when you start your vehicle and your phone's contacts automatically synchronize, allowing you to retrieve contacts and make and receive calls through the infotainment system. For more information regarding phone compatibility visit [audiusa.com/bluetooth](http://audiusa.com/bluetooth).



**TEXT Q5PAIR1 to 38981**  
Do not text and drive. Message and data rates may apply.



3. Select Audi MMI® when it appears on the phone's screen.

### To pair a phone:

1. Switch ignition to accessories mode.
2. Activate your phone's BLUETOOTH® function and set to Pairing or Search mode.

NOTE: See your phone's owner manual for specific BLUETOOTH® activation instructions. Vehicle should be stationary with the parking brake engaged while performing this operation.




4. Use the MMI® control knob to select Yes.



5. Confirm the six-digit PIN displayed matches the PIN displayed on your phone, and select Yes.



6. Select Pair on your phone to complete the pairing process.



7. ▶ Contacts synchronizing.  
▶ BLUETOOTH® active and network strength bars.

NOTE: Once paired, the BLUETOOTH® symbol appears in the MMI® screen along with network strength bars, and it will be displayed whenever a paired phone is connected to the infotainment system.

Important Safety Instructions and Warnings which you must read, are listed on the last panel under BLUETOOTH® Pairing.



# Voice Recognition: MMI®


## Call By Name



TEXT Q5VOICE1 to 38981

Do not text and drive. Message and data rates may apply.



1. Press the  button. A beep will sound.



2. Say, "Call" <Name from directory> (e.g., "Call John Smith").



3. To confirm the request, say "Yes". The number will be dialed.

NOTE: If multiple numbers are stored for a given contact, the system will ask which number you wish to dial. When calling by name using voice recognition, you must say the name as it is stored in your phone book.

## Natural Language Commands

You may also speak natural language commands using the  button.

Verbal destination commands can be given while in any screen.

Your Audi MMI® Navigation system has many Global Voice Recognition commands available. This means that you can access any function while another function or mode is active.

Commands such as:


- ▶ Enter Number
- ▶ Enter Destination
- ▶ Presets
- ▶ Media
- ▶ Redial
- ▶ Online Destination
- ▶ FM, AM

You can begin your request from any screen.

Once your requested function is active, you can continue with commands for that mode.

For example:

- ▶ Enter Number
- ▶ Dial
- ▶ Repeat
- ▶ Correction

To cancel Voice Recognition while active, say "Cancel" after the beep or press the  button until system responds with cancelled.

Refer to your owner's manual for further commands.

 Important Safety Instructions and Warnings which you must read, are listed on the last panel under Voice Recognition.

BLUETOOTH®  
Pairing



# BLUETOOTH® Pairing: Audi concert radio

## Initial Setup

BLUETOOTH® pairing is a one-time procedure. Once paired via BLUETOOTH®, your phone will automatically connect when you start your vehicle and your phone's contacts automatically synchronize, allowing you to retrieve contacts and make and receive calls through the infotainment system.

For more information regarding phone compatibility visit [audiusa.com/bluetooth](http://audiusa.com/bluetooth).



TEXT Q5PAIR2 to 38981

Do not text and drive. Message and data rates may apply.



## To pair a phone:

1. Switch ignition to accessories mode and turn on the Audi concert radio.
2. Activate your phone's BLUETOOTH® function and set to Pairing or Search mode.



3. Select Audi UHV when it appears on the phone's screen.



4. Enter default PIN 1-2-3-4 and press Pair.
5. The phone is now paired and your contacts will be synchronized.

NOTE: See your phone's owner manual for specific BLUETOOTH® activation instructions.

BLUETOOTH®  
Pairing

⚠ Important Safety Instructions and Warnings which you must read, are listed on the last panel under BLUETOOTH® Pairing.

# Voice Recognition: concert radio

## Name Tag Creation

A name tag is required to operate the voice recognition system.




TEXT Q5VOICE3 to 38981

Do not text and drive. Message and data rates may apply.



### To create a name tag:

1. Press the  button. |-----
2. After the beep, say “**Store Name**”.

3. When prompted say the <name>. A second prompt will ask you to repeat the <name>, (e.g. John Smith).

4. The system will ask for the phone number. Speak the <numbers>, (e.g., 8-0-0, 5-5-5-, 1-2-3-4.)

5. If incorrect, say “**Back**” to remove the last set of numbers.

6. If correct, say “**Store Number**”, and the system will confirm that <name> is saved.

NOTE: To confirm or play back the saved name tags, press the  button. After the beep, say “**Play Phone Book**”.

## Call by name

1. Press the  button.

2. Say “**Select Name**”.

3. When prompted, say the <name>.

4. After name confirmation, say “**Dial**”, and the number will be dialed.

 Important Safety Instructions and Warnings which you must read, are listed on the last panel under Voice Recognition.

BLUETOOTH®  
Pairing



# Audi connect®

## Initial Setup

Audi connect® can provide you with Google Earth™, Google Voice™ Local Search, Wi-Fi Hotspot, Online Services (fuel prices, weather information, travel information, news feeds) and myAudi Destinations.



TEXT Q5CONNECT to 38981

Do not text and drive. Message and data rates may apply.

## Audi connect® Configuration:

1. Ensure SIM card (provided by dealer) is present in the SIM slot.
2. Press the **TEL** function button.
3. Press the Settings control button.

Vehicle should be stationary with the parking brake engaged while performing this operation.



# Audi connect®

cont.



## Wi-Fi Configuration



4. Select Wi-Fi settings.



5. Then select Wi-Fi active and choose Visible.



6. Select a password that is at least eight characters long. The default password can be used. Or a new password can be entered.

NOTE: Most devices use Encryption type WPA2 as the default.

## Data Configuration



7. Select Apply settings to save your password.



8. On your device, search for Wi-Fi networks, select SSID and enter your password to establish a connection.

NOTE: You may connect up to eight wireless devices at one time.



9. Press the Back button, scroll to Data connection and select.



10. Select Without request. Press the back button to exit.

Always pay careful attention to the road, and do not drive while distracted. The features and technologies discussed are optional, may require an additional subscription with separate terms and conditions, and should be used only when it is safe and appropriate. The Wi-Fi hotspot feature is intended for passenger use only.

Audi connect® services are only available where there is mobile network coverage. You can obtain more information from your current service provider.

⚠ Important Safety Instructions and Warnings which you must read, are listed on the last panel under Audi connect®.




# Audi Navigation

## Setting a Destination


Your MMI® Navigation system has extraordinary capabilities to enhance your drive with user-definable views, routing selections and more. Get started with setting destinations and discover more as you become familiar with the interface.

### To set a destination:

1. Press the **NAV** function button.
2. Select the Destination control button.




3. Select Address from the Navigation Menu.



4. Select City/Zip code field and enter information.



5. Continue by entering the Street and House number.



6. When complete, select Start route guidance.

Please drive safely. Enter destinations while vehicle is stationary away from traffic. Always pay careful attention to the road, and do not drive while distracted.

Important Safety Instructions and Warnings which you must read, are listed on the last panel under Navigation & Infotainment.




# Audi Navigation


cont.

## Setting a Destination (Voice Recognition)

### To set a Destination with voice commands:


1. Press the  button. |-----
2. Say **“Enter Address.”** (Other commands are available on screen.)  
See Owner's Manual for complete list of commands.
3. After the beep, speak the address; for example **“2024 Main St, Los Angeles, California.”** (Speak street number as single digits.) The system will respond with repeating the address for confirmation.
4. System will respond, “The list is being loaded,” it will repeat the address, and then ask if you would like to start route guidance; after the beep say, **“Yes”** and guidance will begin.




NOTE: The MMI® will display the most frequently used voice commands while waiting for your response. When pressing the  button, the last navigation announcement will be repeated.


## Google Voice™ Local Search (Online Destinations)\*:



1. Press the  button.
2. Say **“Online Destinations”** followed by a keyword such as **“Coffee Shop”**, (e.g., bookstore, museum, pizza, etc.)  
  
The system will respond with “retrieving requested information” and display a list.



3. Make your selection from the list displayed by speaking the line number, (for example 1, 2, 3, or 4). The system will confirm your selection.



4. Say **“Start route guidance”** to start the navigation to your destination.



TEXT Q5NAV8 to 38981

Do not text and drive. Message and data rates may apply.

Navigation

Cellular connectivity is dependent on available cellular signal.

\*Google Voice™ Local Search requires Audi connect®, and may require an additional subscription with separate terms and conditions. The features and technologies discussed are optional, and should be used only when it is safe and appropriate.



Important Safety Instructions and Warnings which you must read, are listed on the last panel under Voice Recognition.

# Automatic Climate Control



## AUTO Setting

The **AUTO** setting of your Climate Control System maintains the cabin temperature to your selected temperature by regulating the temperature, fan speed and airflow. Once activated, there is no need to alter the settings. When **AUTO** is selected, **AC** will come on automatically to condition the air.

NOTE: AC is used to dehumidify the air.

## Synchronize Zones

Press and hold the driver's side temperature control knob to synchronize both sides to the same temperature and airflow.

## Dual Temperature Settings

Temperature and airflow can be operated independently for each side of the cabin using the temperature control knobs. **AUTO** will maintain separate temperatures for the driver and front passenger.



TEXT Q5CLIMATE to 38981

Do not text and drive. Message and data rates may apply.




Important Safety Instructions and Warnings which you must read, are listed on the last panel under Automatic Climate Control.

Automatic  
Climate Control


# Automatic Climate Control

cont.


## Fan Speed

Fan speed is the same for both zones. Fan speed can be adjusted by first pressing the  button and then adjusting the fan speed with either the driver or passenger control knob.

## Recirculation

The recirculation function  prevents outside air and odors from entering the cabin. It may also be used in conjunction with AC to cool the cabin more quickly.

## Airflow

The airflow selector  directs air to the floor, panel or defrost vents, or a combination.



## MMI® Display

Your climate control adjustments such as Temperature, Fan speed and Airflow can be seen on your display for convenience.




NOTE: Temperature display only shown with MMI® Navigation system. The ideal fan speed to heat or cool your interior will be displayed with a  on the fan speed level.

Automatic  
Climate Control



# Memory Seats

## Setting Your Memory Seats and Mirrors



1. Adjust the seat and mirrors to your desired positions.
2. Press the **SET** button located on the driver's door.
3. Press on of the numbered memory buttons until you hear a tone; the memory position is saved.

The side mirrors are programmed along with the seat position. When you press and hold your numbered memory button, they will adjust automatically.

## Recalling Memory Seat Settings



TEXT Q5SEATS to 38981

Do not text and drive. Message and data rates may apply.

Press the desired memory button while the door is open or with the door closed, press and hold the desired memory button until the memory position is reached.



 Important Safety Instructions and Warnings which you must read, are listed on the last panel under Memory Seats.

# Windshield Wipers



TEXT Q5WIPERS to 38981

Do not text and drive. Message and data rates may apply.

## Rain Sensing Wipers

To activate rain-sensing wipers:

1. From the “OFF” position, move the wiper stalk up one click.
2. The rain sensor will automatically turn the wipers on when it begins to rain, adjusting wipe frequency with rainfall intensity.
3. The lever on the top of the stalk controls the sensitivity. Move it left for less sensitivity and right for more sensitivity.

NOTE: Turn off rain-sensing wipers before going through a car wash.

## Rear Wiper Operation

To activate the rear wipers, push the lever one click away from you. Also, anytime you have the front wipers on and you put the car into reverse, the rear wipers activate automatically.

To wash the rear glass, push the lever two clicks away from you.



## Continuous Wipe

- ▶ “LOW”: From the “OFF” position, move the wiper stalk up two clicks.
- ▶ “HIGH”: From the “OFF” position, move the wiper stalk up three clicks.

## Single/Quick Wipes

- ▶ Single/quick wipe: From the “OFF” position, press the wiper stalk down once briefly.

NOTE: For faster wiping, press the wiper stalk down once and hold for two seconds.



 Important Safety Instructions and Warnings which you must read, are listed on the last panel under Windshield Wipers.

# Cruise Control

## Activate

To activate, pull the control stalk toward you.



TEXT Q5CRUISE to 38981

Do not text and drive. Message and data rates may apply.

## Set Cruising Speed

At your desired speed, press the **SET** button at the end of the stalk. The set speed and the illuminated **CRUISE** icon are shown in the Driver Information Display.



## Changing Speed

There are three ways to change your speed:

1. Accelerate or decelerate, then press **SET** again.
2. To increase/decrease speed in 1 mph increments, tap the stalk up or down.
3. Hold the stalk up or down to increase/decrease speed in 5 mph increments; release when desired speed is reached.




## Cancel/Resume

To cancel and resume cruise control:

1. Press the brake pedal or push the stalk slightly away from you.
2. The **CRUISE** light will go off.
3. To resume, pull the stalk towards you; you will return to your set speed.

Your most recently set speed appears as a small icon in the Driver Information Display. It remains in memory until you turn your Audi off.

 Important Safety Instructions and Warnings which you must read, are listed on the last panel under cruise control.

# Start-Stop System



This advanced Audi technology is designed to help save fuel and reduce CO<sub>2</sub> emissions at the same time. It shuts off the engine when you stop at traffic signals or during certain stop-and-go driving. When the system shuts off the engine, the Start-Stop System light appears in the Driver Information Display in the instrument cluster. Releasing the brake pedal instantly restarts the engine and makes power available before your foot even reaches the accelerator. Simply drive as you normally would and it works seamlessly.



TEXT Q5START to 38981

Do not text and drive. Message and data rates may apply.

## Start-Stop ON or OFF? The choice is yours.

If you wish to turn off the Start-Stop System, simply press the  button located below the Audi multimedia panel or MMI® display. The button will illuminate to tell you the Start-Stop is off. The engine will continue to run when the vehicle is stopped at traffic signals or during stop-and-go driving. Of course, you will not receive the potential fuel savings or CO<sub>2</sub> reduction benefit. Once you have turned off Start-Stop, it will remain off until you press the  button to turn it back on.



NOTE: This feature is available on the Q5 3.0T and Q5 3.0 TDI vehicles only.

 Important Safety Instructions and Warnings which you must read, are listed on the last panel under Start-Stop System.

Start-Stop  
System

# Optional Panoramic Sunroof



TEXT Q5R00F to 38981

Do not text and drive. Message and data rates may apply.

## Comfort Position

Opening the sunroof to the Comfort position will help minimize variations in cabin pressure and wind noise.

To open to the Comfort position, simply turn the dial to the last dark rectangle.

When the sunroof opens, the wind screen will automatically rise. This will help reduce wind noise.

## Open

Turn the dial clockwise to any of the differently sized rectangles.

To open the sunroof completely, twist the dial clockwise, as far as it will go and hold.



## Close

Turn the dial counterclockwise to the closed position.

## Tilt

For the sunroof to tilt up, gently press up on the lip of the sunroof dial.

To tilt down, pull down on the dial lip.

## Sunshade

To move the sunshade forward or back, use the respective arrow buttons.

One touch of the button opens or closes the sunshade all the way.

To stop the sunshade while it is moving, press the button again.

 Important Safety Instructions and Warnings which you must read, are listed on the last panel under Sunroof.

# Clock Setting: MMI®



TEXT Q5CLOCK1 to 38981

Do not text and drive. Message and data rates may apply.



## To set time with GPS:

1. Press the **MENU** function button.
2. Press the Time control button.
3. Using the control knob, scroll to Time source.
4. Make sure the Time source is set to GPS.
5. Ensure your time zone is accurate for your location.

NOTE: Turn on Daylight Savings time to allow the clock to change automatically.

## To manually adjust the time:

1. Rotate the control knob to Manual and select.
2. Turn the knob until you reach Time; select to activate.
3. Turn the knob to the desired hour and press set.
4. The minute display is now highlighted; repeat the selection process.
5. Save the time by pressing the control knob.

# Clock Setting: Audi concert radio

## To adjust the time:



1. Press the **SETUP** function button.
2. Press the Time/Date control button to enter the Time Setup menu.
3. Rotate the control knob to time, select to highlight the hour.
4. Turn the knob to the desired hour and press to set.
5. The minute display is now highlighted; repeat the selection process.
6. Save the time by pressing the control knob.

NOTE: Vehicle should be stationary with the parking brake engaged before performing these operations.



TEXT Q5CLOCK2 to 38981

Do not text and drive. Message and data rates may apply.

# Optional Power Rear Hatch



TEXT Q5HATCH to 38981

Do not text and drive. Message and data rates may apply.

## Open the Hatch

- ▶ The rear hatch can be opened and closed automatically. There are three ways to open the power rear hatch.



 Important Safety Instructions and Warnings which you must read, are listed on the last panel under Rear Hatch.

### Option 1



- ▶ Press and hold the rear hatch button on the key fob for at least one second.


### Option 2



- ▶ Pull the switch on the driver's door.

### Option 3



- ▶ Press the micro-switch  located above the license plate.

# Optional Power Rear Hatch

cont.

## Closing the Hatch


- ▶ Press the button on the rear hatch edge; the hatch moves to the closed position and the soft close mechanism locks.



## Setting the Open Position

The opening height of the rear hatch can be adjusted.

1. While the rear hatch is opening, press the rear hatch button on the remote key fob to stop it at the desired height. You may also stop it by pressing the button on the rear hatch.
2. Press and hold the button on the rear hatch edge for at least four seconds to store the new open position. The lights will flash indicating the setting has been stored.
3. The opening height of the rear hatch can be readjusted to the maximum height by pushing upwards on the rear hatch and then repeat step 2.





## Important Safety Instructions and Warnings

### Audi connect®

- ▶ Only use Audi connect® services when road and traffic conditions permit. Using these services could increase the risk of an accident. Some Audi connect® services are only available when the vehicle is stationary to reduce the risk of distracting the driver.
- ▶ To reduce the risk of a collision, use the Audi connect® services with a Wi-Fi hotspot in the rear seat only if the vehicle is in motion or only when the vehicle is stationary.
- ▶ As the driver, do not allow usage of the Wi-Fi hotspots to distract you from driving, as it could increase the risk of an accident.
- ▶ It is only safe to use laptops and similar mobile devices when the vehicle is stationary because, like all loose objects, they could be thrown around the inside of the vehicle in a crash and cause serious injuries. Store these types of devices securely while driving.
- ▶ Do not use any Wi-Fi devices in the front seats within range of the airbags. Read and follow the safety precautions in the separate vehicle owner's manual in the "Airbag System" chapter under "Important information about the front airbag system".

radiation thresholds. This also applies if the external antenna is not installed properly.

- ▶ Keep a distance of at least eight inches between the antennas of the mobile phone and a pacemaker, since mobile phones can affect the functionality of a pacemaker.
- ▶ Do not carry a mobile phone on standby mode in the breast pocket directly on top of a pacemaker.
- ▶ If interference is suspected, immediately switch off the mobile phone.
- ▶ Always keep the armrest closed while driving. The center armrest can interfere with the driver's elbow movement and thus cause collisions and severe injuries.

### Cruise Control

- ▶ Always pay attention to the traffic around you when the cruise control is in operation. You are always responsible for your speed and the distance between your vehicle and other vehicles.
- ▶ For reasons of safety, cruise control should not be used in the city, in stop-and-go traffic, on twisting roads and when road conditions are poor (such as ice, fog, gravel, heavy rain and hydroplaning) - risk of accident.
- ▶ Turn off the cruise control temporarily when entering turn lanes, highway exit lanes or in construction zones.
- ▶ Please note that inadvertently "resting" your foot on the

### Automatic Climate Control

- ▶ Reduced visibility is dangerous and can cause accidents.
- ▶ For safe driving it is very important that all windows be free of ice, snow and condensation.
- ▶ Completely familiarize yourself with the proper use and function of the heating and ventilation system and especially how to defog and defrost the windows.
- ▶ Never use the windshield wiper/washer system in freezing weather until you have warmed the windshield first, using the heating and ventilation system. The washer solution may freeze on the windshield and reduce visibility.
- ▶ Do not use the recirculation for extended periods of time. The windows could fog up since no fresh air can enter the vehicle. If the windows fog up, press the air recirculation button again immediately to switch off the air recirculation function or select defrost.

### BLUETOOTH® Pairing

- ▶ Collisions and injuries can occur if the driver is distracted. Speaking on or using a phone while driving can distract the driver from traffic.
- ▶ Select the volume settings so that the acoustic signals from the outside are still audible (e.g., the sirens of emergency rescue vehicles.) Observe legal regulations.
- ▶ In areas with no or poor mobile network coverage

accelerator pedal causes the cruise control not to brake. This is because the cruise control is overridden by the driver's acceleration.

- ▶ If a brake system malfunction such as overheating occurs when the cruise control system is switched on, the braking function in the system may be switched off. The other cruise control functions remain active as long as the indicator light is on.
- ▶ You should only return to the saved speed if it is not too fast for the current traffic conditions - risk of an accident!

### Memory Seats

- ▶ Never adjust the driver's or front passenger's seat while the vehicle is moving. If you do this while the vehicle is moving, you will be out of position. Always adjust the driver's or front passenger's seat when the vehicle is not moving.
- ▶ Be careful when adjusting the seat height. Check to see that no one is in the way, or serious injury could result!
- ▶ Because the seats can be electrically adjusted with the ignition off or with the ignition key removed, never leave children unattended in the vehicle. Unsupervised use of the electric seat adjustments may cause serious injury.
- ▶ To reduce the risk of injury in the case of sudden braking or accident, front passengers must never ride in a moving vehicle with the backrest reclined. Safety belts and the airbag system

and possibly in tunnels, garages and subways, phone conversations may be interrupted, and it may be impossible to make phone calls, even emergency calls!

- ▶ In some countries, emergency calls may only be supported when the mobile phone is connected to a mobile phone package which has a SIM card that is "not blocked" and/or has sufficient credit on it.
- ▶ Unmounted or improperly mounted mobile phones can fly around in the event of a sudden driving or braking maneuver or a collision. This may cause injury.
- ▶ Never place or mount a mobile phone on doors, on the windshield or on or near the area on the steering wheel marked "AIRBAG," the instrument panel, the seat backrests or the areas between these points and the driver/passengers. Mobile phones can lead to serious injuries in cases of collisions, especially when the airbags are inflated.
- ▶ Always switch off your mobile telephone at gas stations or wherever there is a fire or explosion hazard. Electromagnetic radiation can cause sparks which can start fires.
- ▶ The mobile phone will automatically connect to the mobile network when the Bluetooth connection to the mobile phone package is disconnected.
- ▶ Using a radio device in the vehicle without a connection to an external antenna might exceed electromagnetic

only offer maximum protection when the backrest is upright and the safety belts are properly positioned on the body. The more the backrest is reclined, the greater the risk of personal injury from an incorrect seating position and improperly positioned safety belts.

- ▶ Occupants in the front and rear seats must always be properly restrained.
- ▶ Do not let anyone ride in the vehicle without the head restraints provided. Head restraints help to reduce injuries.
- ▶ Loose items inside the passenger compartment, can fly forward in a crash or sudden maneuver and injure occupants. Always store articles in the luggage compartment and use the fastening eyes, especially when the rear seat backs have been folded down.
- ▶ For safety reasons, the seat must only be adjusted when the vehicle is stationary - danger of accident! - Exercise caution when adjusting the seat. Adjusting the seat without checking or paying attention can pinch fingers or limbs - danger of injury!
- ▶ For safety reasons, the seat setting can only be recalled when the vehicle is stationary - otherwise you risk having an accident.
- ▶ In an emergency the recall procedure can be cancelled by pressing the OFF switch or by tapping of the memory buttons.







**Audi** Truth in Engineering

# Q5 | SQ5

**2014 | Q5 | SQ5**

Audi of America  
[auditechnology.com](http://auditechnology.com)

MY14-Q5-01

© 2013 Audi of America, Inc. All rights reserved.